

```
mi-globe_install_debug.log
Starting TWRP 3.3.1-1-b0a0dbba on Wed Apr 21 07:56:00 1971
(pid 531)
BOARD_HAS_NO_REAL_SDCARD := true
RECOVERY_SDCARD_ON_DATA := true
I:Lun file '/sys/class/android_usb/android0/f_mass_storage/lun0/file' does not
exist, USB storage mode disabled
TW_INCLUDE_CRYPT0 := true
I:TW_BRIGHTNESS_PATH := /sys/class/backlight/panel0-backlight/brightness
I:Found brightness file at '/sys/class/backlight/panel0-backlight/brightness'
I:TWFunc::Set_Brightness: Setting brightness control to 420
I:LANG: en
Starting the UI...
setting DRM_FORMAT_BGRA8888 and GGL_PIXEL_FORMAT_BGRA_8888
setting DRM_FORMAT_ARGB8888 and GGL_PIXEL_FORMAT_RGBA_8888
setting DRM_FORMAT_ARGB8888 and GGL_PIXEL_FORMAT_RGBA_8888
Using drm graphics.
I:TWFunc::Set_Brightness: Setting brightness control to 420
I>Loading package: splash (/twres/splash.xml)
I:Load XML directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/splash.xml' directly
I:Checking resolution...
I:Scaling theme width 1.000000x and height 1.129167x, offsets x: 0 y: 80 w: 0 h:
-80
I>Loading resources...
I>Loading variables...
I>Loading mouse cursor...
I>Loading pages...
I>Loading page splash
I:Switching packages (splash)
=> Linking mtab
=> Processing /etc/recovery.fstab
I:Reading /etc/recovery.fstab
I:Processing '/boot'
I:Processing '/cache'
I:Processing '/recovery'
I:Processing '/system'
I:Processing '/vendor'
I:Processing '/system_image'
I:Processing '/vendor_image'
I:Processing '/data'
I:FBE contents 'ice', filenames 'aes-256-cts'
I:Processing '/firmware'
I:Created '/firmware' folder.
I:Processing '/cust'
I:Created '/cust' folder.
I:Processing '/misc'
I:Processing '/modem'
I:Processing '/bluetooth'
```

mi-globe_install_debug.log

I:Processing '/dsp'
I:Processing '/efs1'
I:Processing '/efs2'
I:Processing '/efsc'
I:Processing '/efsg'
I:Processing '/persist'
I:Created '/persist' folder.
I:Attempt to load settings from /persist settings file...
I:InfoManager loading from '/persist/.twrps'.
__bionic_open_tzdata: couldn't find any tzdata when looking for
CST6CDT,M3.2.0,M11.1.0!
__bionic_open_tzdata: couldn't find any tzdata when looking for posixrules!
I:TWFunc::Set_Brightness: Setting brightness control to 188
I:TWFunc::Fixup_Time: Pre-fix date and time: 1971-04-21--02-56-00
I:TWFunc::Fixup_Time: Setting time offset from file
/sys/class/rtc/rtc0/since_epoch
I:TWFunc::Fixup_Time: will attempt to use the ats files now.
I:TWFunc::Fixup_Time: Setting time offset from file /persist/time/ats_2, offset
1529949091463
I:TWFunc::Fixup_Time: Date and time corrected: 2019-10-13--20-47-31
I:Processing '/usb_otg'
I:Created '/usb_otg' folder.
I:Done processing fstab files
I:Setting up '/data' as data/media emulated storage.
I:mount -o bind '/data/media' '/sdcard' process ended with RC=0
I:mount -o bind '/data/media/0' '/sdcard' process ended with RC=0
I:Setting up '/data' as data/media emulated storage.
I:mount -o bind '/data/media/0' '/sdcard' process ended with RC=0
I:Backup folder set to '/data/media/0/TWRP/BACKUPS/862e64c3'
I:Settings storage is '/data/media/0'
I:Decrypt adopted storage starting
I:PageManager::LoadFileToBuffer loading filename: '/data/system/storage.xml'
directly
I:successfully loaded storage.xml
Updating partition details...
I:Data backup size is 15012MB, free: 100542MB.
I:Unable to mount '/usb_otg'
I:Actual block device: '', current file system: 'vfat'
...done
I:Unmounting main partitions...

Partition Logs:

/boot | /dev/block/sde45 | Size: 64MB
Flags: Can_Be_Backup Up IsPresent Can_Flash_Img
Primary_Block_Device: /dev/block/sde45
Display_Name: Boot
Storage_Name: boot

mi-globe_install_debug.log

Backup_Path: /boot
Backup_Name: boot
Backup_Display_Name: Boot
Storage_Path: /boot
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/cache | /dev/block/sda20 | Size: 247MB Used: 1MB Free: 246MB Backup Size: 1MB
Flags: Can_Be_Mounted Can_Be_Wiped Can_Be_Backup Wipe_During_Factory_Reset
Wipe_Available_in_GUI IsPresent
Primary_Block_Device: /dev/block/sda20
Display_Name: Cache
Storage_Name: Cache
Backup_Path: /cache
Backup_Name: cache
Backup_Display_Name: Cache
Storage_Path: /cache
Current_File_System: ext4
Fstab_File_System: ext4
Backup_Method: files

/recovery | /dev/block/sda19 | Size: 64MB
Flags: Can_Be_Backup IsPresent Can_Flash_Img
Primary_Block_Device: /dev/block/sda19
Display_Name: Recovery
Storage_Name: recovery
Backup_Path: /recovery
Backup_Name: recovery
Backup_Display_Name: Recovery
Storage_Path: /recovery
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/system | /dev/block/sde48 | Size: 2975MB Used: 2454MB Free: 520MB Backup Size:
2454MB
Flags: Can_Be_Mounted Can_Be_Wiped Can_Be_Backup Wipe_Available_in_GUI
IsPresent Mount_Read_Only
Primary_Block_Device: /dev/block/sde48
Display_Name: System
Storage_Name: System
Backup_Path: /system
Backup_Name: system
Backup_Display_Name: System
Storage_Path: /system
Current_File_System: ext4
Fstab_File_System: ext4

mi-globe_install_debug.log

Backup_Method: files

/vendor | /dev/block/sde47 | Size: 991MB Used: 763MB Free: 228MB Backup Size: 763MB

Flags: Can_Be_Mounted Can_Be_Wiped Can_Be_Backed_Up IsPresent Mount_Read_Only
Primary_Block_Device: /dev/block/sde47
Display_Name: Vendor
Storage_Name: Vendor
Backup_Path: /vendor
Backup_Name: vendor
Backup_Display_Name: Vendor
Storage_Path: /vendor
Current_File_System: ext4
Fstab_File_System: ext4
Backup_Method: files

/system_image | /dev/block/sde48 | Size: 3072MB

Flags: Can_Be_Backed_Up IsPresent Can_Flash_Img
Primary_Block_Device: /dev/block/sde48
Display_Name: System Image
Storage_Name: system_image
Backup_Path: /system_image
Backup_Name: system_image
Backup_Display_Name: System Image
Storage_Path: /system_image
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/vendor_image | /dev/block/sde47 | Size: 1024MB

Flags: Can_Be_Backed_Up IsPresent Can_Flash_Img
Primary_Block_Device: /dev/block/sde47
Display_Name: Vendor Image
Storage_Name: vendor_image
Backup_Path: /vendor_image
Backup_Name: vendor_image
Backup_Display_Name: Vendor Image
Storage_Path: /vendor_image
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/data | /dev/block/sda21 | Size: 233970MB Used: 15012MB Free: 100542MB Backup Size: 15012MB

Flags: Can_Be_Mounted Can_Be_Wiped Can_Be_Backed_Up Wipe_During_Factory_Reset
Wipe_Available_in_GUI IsPresent Can_Be_Encrypted Has_Data_Media Can_Encrypt_Backup
Use_Userdata_Encryption Is_Storage Is_Settings_Storage
Symlink_Path: /data/media/0

mi-globe_install_debug.log

Symlink_Mount_Point: /sdcard
Primary_Block_Device: /dev/block/sda21
Crypto_Key_Location: footer
Length: -16384
Display_Name: Data
Storage_Name: Internal Storage
Backup_Path: /data
Backup_Name: data
Backup_Display_Name: Data
Storage_Path: /data/media/0
Current_File_System: ext4
Fstab_File_System: ext4
Backup_Method: files
MTP_Storage_ID: 65537

/firmware | /dev/block/sde46 | Size: 191MB Used: 161MB Free: 30MB Backup Size: 161MB

Flags: Can_Be_Mounted Can_Be_Wiped IsPresent Mount_To_Decrypt
Primary_Block_Device: /dev/block/sde46
Display_Name: Firmware
Storage_Name: Firmware
Backup_Path: /firmware
Backup_Name: firmware
Backup_Display_Name: Firmware
Storage_Path: /firmware
Current_File_System: vfat
Fstab_File_System: vfat
Backup_Method: files

/cust | /dev/block/sda18 | Size: 802MB Used: 1MB Free: 801MB Backup Size: 1MB

Flags: Can_Be_Mounted Can_Be_Wiped IsPresent
Primary_Block_Device: /dev/block/sda18
Display_Name: Cust
Storage_Name: Cust
Backup_Path: /cust
Backup_Name: cust
Backup_Display_Name: Cust
Storage_Path: /cust
Current_File_System: ext4
Fstab_File_System: ext4
Backup_Method: files

/misc | /dev/block/sda9 | Size: 4MB

Flags: IsPresent
Primary_Block_Device: /dev/block/sda9
Display_Name: misc
Storage_Name: misc
Backup_Path: /misc

mi-globe_install_debug.log

Backup_Name: misc
Backup_Display_Name: misc
Storage_Path: /misc
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/modem | /dev/block/sde46 | Size: 192MB
Flags: Can_Be_Backup Up Has_SubPartition IsPresent
Primary_Block_Device: /dev/block/sde46
Display_Name: Modem
Storage_Name: Modem
Backup_Path: /modem
Backup_Name: modem
Backup_Display_Name: Modem
Storage_Path: /modem
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/bluetooth | /dev/block/sde24 | Size: 1MB
Flags: Can_Be_Backup Up Is_SubPartition IsPresent
SubPartition_Of: /modem
Primary_Block_Device: /dev/block/sde24
Display_Name: bluetooth
Storage_Name: bluetooth
Backup_Path: /bluetooth
Backup_Name: bluetooth
Backup_Display_Name: bluetooth
Storage_Path: /bluetooth
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/dsp | /dev/block/sde44 | Size: 32MB
Flags: Can_Be_Backup Up Is_SubPartition IsPresent
SubPartition_Of: /modem
Primary_Block_Device: /dev/block/sde44
Display_Name: dsp
Storage_Name: dsp
Backup_Path: /dsp
Backup_Name: dsp
Backup_Display_Name: dsp
Storage_Path: /dsp
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

mi-globe_install_debug.log

```
/efs1 | /dev/block/sdf6 | Size: 8MB
  Flags: Can_Be_Backup Up Has_SubPartition IsPresent
  Primary_Block_Device: /dev/block/sdf6
  Display_Name: EFS
  Storage_Name: EFS
  Backup_Path: /efs1
  Backup_Name: efs1
  Backup_Display_Name: EFS
  Storage_Path: /efs1
  Current_File_System: emmc
  Fstab_File_System: emmc
  Backup_Method: dd

/efs2 | /dev/block/sdf7 | Size: 8MB
  Flags: Can_Be_Backup Up Is_SubPartition IsPresent
  SubPartition_Of: /efs1
  Primary_Block_Device: /dev/block/sdf7
  Display_Name: efs2
  Storage_Name: efs2
  Backup_Path: /efs2
  Backup_Name: efs2
  Backup_Display_Name: efs2
  Storage_Path: /efs2
  Current_File_System: emmc
  Fstab_File_System: emmc
  Backup_Method: dd

/efsc | /dev/block/sdf1 | Size: 0MB
  Flags: Can_Be_Backup Up Is_SubPartition IsPresent
  SubPartition_Of: /efs1
  Primary_Block_Device: /dev/block/sdf1
  Display_Name: efsc
  Storage_Name: efsc
  Backup_Path: /efsc
  Backup_Name: efsc
  Backup_Display_Name: efsc
  Storage_Path: /efsc
  Current_File_System: emmc
  Fstab_File_System: emmc
  Backup_Method: dd

/efsg | /dev/block/sde36 | Size: 8MB
  Flags: Can_Be_Backup Up Is_SubPartition IsPresent
  SubPartition_Of: /efs1
  Primary_Block_Device: /dev/block/sde36
  Display_Name: efsg
  Storage_Name: efsg
  Backup_Path: /efsg
```

mi-globe_install_debug.log

Backup_Name: efsg
Backup_Display_Name: efsg
Storage_Path: /efsg
Current_File_System: emmc
Fstab_File_System: emmc
Backup_Method: dd

/persist | /dev/block/sda14 | Size: 27MB Used: 2MB Free: 25MB Backup Size: 2MB
Flags: Can_Be_Mounted Can_Be_Wiped IsPresent
Primary_Block_Device: /dev/block/sda14
Display_Name: Persist
Storage_Name: Persist
Backup_Path: /persist
Backup_Name: persist
Backup_Display_Name: Persist
Storage_Path: /persist
Current_File_System: ext4
Fstab_File_System: ext4
Backup_Method: files

/usb_otg | | Size: 0MB Used: 0MB Free: 0MB Backup Size: 0MB
Flags: Can_Be_Mounted Can_Be_Wiped Wipe_Available_in_GUI Removable Is_Storage
Primary_Block_Device: /dev/block/sdg1
Alternate_Block_Device: /dev/block/sdg
Display_Name: USB-OTG
Storage_Name: USB-OTG
Backup_Path: /usb_otg
Backup_Name: usb_otg
Backup_Display_Name: USB-OTG
Storage_Path: /usb_otg
Current_File_System: vfat
Fstab_File_System: vfat
Backup_Method: files
MTP_Storage_ID: 65538

I:Loading package: TWRP (/data/media/0/TWRP/theme/ui.zip)
I:Loading zip theme
I:Loading package: TWRP (/twres/ui.xml)
I:Load XML directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/zh_TW.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/zh_CN.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/uk.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/tr.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/sv.xml'

mi-globe_install_debug.log

directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/sl.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/sk.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/ru.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/pt_PT.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/pt_BR.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/pl.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/nl.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/ja.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/it.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/hu.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/fr.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/es.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/en.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/el.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/de.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/cz.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/en.xml'
directly
parsing languageFile
parsing languageFile done
I:PageManager::LoadFileToBuffer loading filename: '/twres/ui.xml' directly
I:Checking resolution...
I:Scaling theme width 1.000000x and height 1.129167x, offsets x: 0 y: 80 w: 0 h:
-80
I:Loading resources...
I:Failed to load image from indeterminate013, error -1
I:Loading variables...
I:Loading mouse cursor...
I:Loading pages...
I:Including file: /twres/portrait.xml...
I:PageManager::LoadFileToBuffer loading filename: '/twres/portrait.xml' directly

mi-globe_install_debug.log

I:Loading resources...
I:Loading variables...
I:Loading mouse cursor...
I:Loading pages...
I:Loading page main
I:Loading page main2
I:Loading page install
I:Loading page flash_confirm
I:Loading page flash_zip
I:Loading page flash_done
I:Loading page flash_sleep_and_reboot
I:Loading page flashimage_confirm
I:Loading page clear_vars
I:Loading page reboot_system_routine
I:Loading page confirm_action
I:Loading page action_page
I:Loading page singleaction_page
I:Loading page action_complete
I:Loading page filecheck
I:Loading page rebootcheck
I:Loading page appcheck
I:Loading page wipe
I:Loading page advancedwipe
I:Loading page formatdata
I:Loading page formatdata_confirm
I:Loading page checkpartitionlist
I:Loading page partitionoptions
I:Loading page refreshfilesystem
I:Loading page selectfilesystem
I:Loading page backup
I:Loading page backup_options
I:Loading page backupname1
I:Loading page backupname2
I:Loading page backupencryption
I:Loading page backupencryption2
I:Loading page checkbackuppassword
I:Loading page backup_run
I:Loading page restore
I:Unable to open '/data/media/0/TWRP/BACKUPS/862e64c3'
I:Loading page restore_read
I:Loading page restore_decrypt
I:Loading page try_restore_decrypt
I:Loading page restore_select
I:Loading page renamebackup
I:Loading page restore_run
I:Loading page mount
I:Loading page usb_mount
I:Loading page usb_umount

mi-globe_install_debug.log

I:Loading page system_readonly_check
I:Loading page reboot
I:Loading page rebootapp
I:Loading page system_readonly
I:Loading page settings
I:Loading page settings_timezone
I:Loading page settings_screen
I:Loading page settings_vibration
I:Loading page settings_language
I:Loading page copylog
I:Loading page advanced
I:Loading page partsdcardsel
I:Loading page partsdcardcheck
I:Loading page partsdcard
I:Loading page htcdumlock
I:Loading page repackselect
I:Loading page repackconfirm
I:Loading page lock
I:Loading page filemanagerlist
I:Loading page filemanageroptions
I:Loading page choosedestinationfolder
I:Loading page filemanagerrenamefile
I:Loading page filemanagerrenamefolder
I:Loading page filemanagerchmod
I:Loading page filemanagerconfirm
I:Loading page filemanageraction
I:Loading page decrypt
I:Loading page decrypt_pattern
I:Loading page trydecrypt
I:Loading page terminalcommand
I:Loading page sideload
I:Loading page fixcontexts
I:Loading page slideout
I:Loading page select_storage
I:Loading page select_language
I:Set page: 'clear_vars'
I:Set page: 'main2'
I:Switching packages (TWRP)
Startup Commands:
ro.boottime.adbd=7121634666
ro.boottime.init=6783
ro.boottime.init.selinux=39
ro.boottime.init.cold_boot_wait=252
ro.boottime.logd=7094501590
ro.boottime.ueventd=6832288647
ro.boottime.recovery=7097335028
ro.boottime.sbinqseecond=7122185082
ro.boottime.keymaster-3-0=7168725139

mi-globe_install_debug.log
ro.boottime.gatekeeper-1-0=7169244045
ro.boottime.servicemanager=7169664618
ro.boottime.set_permissive=7096859923
ro.boottime.hwservicemanager=7090637371
ro.config.ringtone=omni_ringtone1.ogg,omni_ringtone1.ogg
ro.config.alarm_alert=omni_alarm1.ogg
ro.config.notification_sound=omni_notification1.ogg
dalvik.vm.isa.arm.variant=cortex-a9
dalvik.vm.isa.arm.features=default
dalvik.vm.isa.arm64.variant=kryo
dalvik.vm.isa.arm64.features=default
dalvik.vm.lockprof.threshold=500
dalvik.vm.stack-trace-dir=/data/anr
dalvik.vm.image-dex2oat-filter=verify-at-runtime
debug.atrace.tags.enableflags=0
ro.art.hiddenapi.warning=1
ro.com.google.clientidbase=android-google
ro.com.android.wifi-watchlist=GoogleGuest
ro.opa.eligible_device=true
ro.url.legal=http://www.google.com/intl/%s/mobile/android/basic/phone-legal.html
ro.boot.dp=0x0
ro.boot.hwc=CN
ro.boot.cert=M1803E1A
ro.boot.cpuid=0x544f5e1f
ro.boot.console=ttyMSM0
ro.boot.dtb_idx=-1347440721
ro.boot.hwlevel=MP
ro.boot.ramdump=disable
ro.boot.selinux=permissive
ro.boot.baseband=msm
ro.boot.configfs=true
ro.boot.hardware=qcom
ro.boot.hwversion=3.3.0
ro.boot.keymaster=1
ro.boot.bootdevice=1d84000.ufshc
ro.boot.secureboot=1
ro.boot.veritymode=enforcing
ro.boot.usbcontroller=a600000.dwc3
ro.boot.verifiedbootstate=orange
ro.omni.device=dipper
ro.omni.version=9-20190704-dipper-HOMEMADE
ro.twrp.boot=1
ro.twrp.version=3.3.1-1
ro.vndk.lite=true
ro.vndk.version=28
ro.wifi.channels=
ro.allow.mock.location=1
ro.build.id=PQ3A.190605.003

mi-globe_install_debug.log
ro.build.date=Thu Jul 4 18:51:20 UTC 2019
ro.build.date.utc=1562266280
ro.build.host=27a846b0703a
ro.build.tags=test-keys
ro.build.type=eng
ro.build.user=jenkins
ro.build.flavor=omni_dipper-eng
ro.build.display.id=omni_dipper-eng 9 PQ3A.190605.003 7 test-keys
ro.build.product=dipper
ro.build.selinux=1
ro.build.version.sdk=28
ro.build.version.base_os=
ro.build.version.release=9
ro.build.version.codename=REL
ro.build.version.incremental=7
ro.build.version.preview_sdk=0
ro.build.version.release_orig=9
ro.build.version.all_codenames=REL
ro.build.version.security_patch=2099-12-31
ro.build.version.security_patch_orig=2099-12-31
ro.build.version.min_supported_target_sdk=17
ro.build.description=omni_dipper-eng 9 PQ3A.190605.003 7 test-keys
ro.build.characteristics=default
ro.bionic.ld.warning=1
ro.kernel.android.checkjni=1
ro.secure=0
ro.treble.enabled=false
ro.product.cpu.abi=arm64-v8a
ro.product.cpu.abi.list=armeabi-v7a,armeabi
ro.product.cpu.abi.list32=armeabi-v7a,armeabi
ro.product.cpu.abi.list64=
ro.product.name=dipper
ro.product.brand=Xiaomi
ro.product.model=MI 8
ro.product.device=dipper
ro.product.manufacturer=Xiaomi
ro.baseband=msm
ro.bootmode=unknown
ro.hardware=qcom
ro.revision=0
ro.services.whitelist.packagelist=com.google.android.gms
ro.bootimage.build.date=Thu Jul 4 18:51:20 UTC 2019
ro.bootimage.build.date.utc=1562266280
ro.bootimage.build.fingerprint=Xiaomi/omni_dipper/dipper:9/PQ3A.190605.003/7:eng/t
est-keys
ro.bootloader=unknown
ro.debuggable=1
ro.modversion=OmniROM-9-20190704-dipper-HOMEMADE

```
mi-globe_install_debug.log
ro.setupwizard.enterprise_mode=1
ro.property_service.version=2
ro.control_privapp_permissions=enforce
ro.actionable_compatible_property.enabled=false
fbe.contents=ice
fbe.filenamees=aes-256-cts
init.svc.adbd=running
init.svc.logd=running
init.svc.ueventd=running
init.svc.recovery=running
init.svc.sbinqseecomd=running
init.svc.keymaster-3-0=running
init.svc.gatekeeper-1-0=running
init.svc.servicemanager=running
init.svc.set_permissive=stopped
init.svc.hwservicemanager=running
twrp.crash_counter=0
twrp.action_complete=0
crypto.ready=1
sys.usb.ffs.ready=1
ro.build.fingerprint=Xiaomi/omni_dipper/dipper:9/PQ3A.190605.003/7:eng/test-keys
hwservicemanager.ready=true
ro.persistent_properties.ready=true
ro.boot.serialno=862e64c3
ro.serialno=862e64c3
service.adb.root=1
net.bt.name=Android
net.tethering.noprovisioning=true
sys.usb.state=adb
sys.usb.controller=a600000.dwc3
persist.sys.usb.config=adb
persist.sys.dalvik.vm.lib.2=libart.so
persist.sys.disable_rescue=true
sys.usb.config=adb
vendor.sys.listeners.registered=true
ro.crypto.type=file
ro.crypto.state=encrypted
```

```
SELinux contexts loaded from /file_contexts
Full SELinux support is present.
tw_get_context got selinux context: u:object_r:media_rw_data_file:s0
I:Got default contexts and file mode for storage files.
I:Copying file /cache/recovery/log to /cache/recovery/last_log
I:Attempt to load settings from settings file...
I:InfoManager file '/data/media/0/TWRP/.twrps' not found.
I:Backup folder set to '/data/media/0/TWRP/BACKUPS/862e64c3'
I:Copying file /etc/recovery.fstab to /cache/recovery/recovery.fstab
I:Version number saved to '/cache/recovery/.version'
```

mi-globe_install_debug.log

```
I:Unable to mount '/usb_otg'
I:Actual block device: '', current file system: 'vfat'
I:TWFunc::Set_Brightness: Setting brightness control to 188
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/en.xml'
directly
parsing languageFile
parsing languageFile done
I:Translating partition display names
I:Backup folder set to '/data/media/0/TWRP/BACKUPS/862e64c3'
I:Starting MTP
I:Cannot find file /sys/class/android_usb/android0/idVendor
I:Cannot find file /sys/class/android_usb/android0/idProduct
I:sending message to add 65537 '/data/media/0' 'Internal Storage'
I:Message sent, add storage ID: 65537 '/data/media/0'
MTP Enabled
I:[MTP] Starting MTP
I:Check_Lifetime_Writes result: '100'
I:Switching packages (TWRP)
I:Starting Adb Backup FIFO
I:Set page: 'main'
I:Set page: 'clear_vars'
I:Set page: 'main2'
I:[MTP] created new mtpserver object
I:[MTP] mtppipe add storage 65537 '/data/media/0'
E:[MTP] Failed to start usb driver!I:TWFunc::Set_Brightness: Setting brightness
control to 5
I:TWFunc::Set_Brightness: Setting brightness control to 0
I:TWFunc::Set_Brightness: Setting brightness control to 188
I:Set overlay: ''
I:Set page: 'install'
I:Set page: 'flash_confirm'
I:Set page: 'flash_zip'
I:operation_start: 'Flashing'
Installing zip file '/sdcard/mi-globe.com_v11_dipper_9.10.11_cfg-bptggmgngavy.zip'
Checking for Digest file...
I:Update binary zip
Verifying package compatibility...
Package doesn't contain compatibility.zip entry
I:Extracting updater binary 'META-INF/com/google/android/update-binary'
I:Zip does not contain SELinux file_contexts file in its root.
I:Legacy property environment not used in updater.
Updating package '/sdcard/mi-globe.com_v11_dipper_9.10.11_cfg-bptggmgngavy.zip'
...
__bionic_open_tzdata: couldn't find any tzdata when looking for
CST6CDT,M3.2.0,M11.1.0!
__bionic_open_tzdata: couldn't find any tzdata when looking for posixrules!
Starting updater on Sun Oct 13 20:48:48 2019
===== emmc =====
```

mi-globe_install_debug.log

failed to open '/sys/class/block/mmcblk0/device/name': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/manfid': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/date': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/cid': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/csd': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/oemid': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/erase_size': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/preferred_erase_size': No such file or directory
failed to open '/sys/class/block/mmcblk0/stat': No such file or directory

===== prop =====

ro.build.fingerprint=Xiaomi/omni_dipper/dipper:9/PQ3A.190605.003/7:eng/test-keys
ro.build.version.release=9
ro.build.version.incremental=7
ro.build.product=dipper
ro.product.device=dipper
ro.product.mod_device=unknown
ro.miui.ui.version.name=unknown

SELinux: Loaded file_contexts

Target: Xiaomi/dipper/dipper:10/QKQ1.190828.002/9.10.11:user/release-keys

Target:

Xiaomi/dipper/dipper:10/QKQ1.190828.002/9.10.11:user/release-keyspackage_extract_file took 03s.package_extract_file took 03s.

Patching firmware images...Patching firmware images...

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

Installing MIUI update...Installing MIUI update...

performing update

package_extract_file took 00s.package_extract_file took 00s.

blocking version is 4

maximum stash entries 0

creating stash /cache/recovery/2bdde8504898ccfcd2c59f20bb8c9c25f73bb524

252919808 bytes free on /cache (0 needed)

/cache/recovery/last_command doesn't exist.

erasing 128730 blocks

writing 512 blocks of new data

writing 512 blocks of new data

writing 512 blocks of new data

writing 512 blocks of new data

writing 512 blocks of new data

writing 512 blocks of new data

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

```
I:TWFunc::Set_Brightness: Setting brightness control to 5
```

[illegible]

mi-globe_install_debug.log

[illegible]

```
I:TWFunc::Set_Brightness: Setting brightness control to 0
```

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

[illegible]

mi-globe_install_debug.log

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 01s.package_extract_file took 01s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 01s.package_extract_file took 01s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

about to run program [/sbin/busybox] with 3 args

run_program: execv failed: No such file or directory

run_program: child exited with status 1

RunProgramFn took 00s.RunProgramFn took 00s.

package_extract_file took 00s.package_extract_file took 00s.

about to run program [/sbin/busybox] with 6 args

run_program: execv failed: No such file or directory

run_program: child exited with status 1

RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args

RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args

RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args

RunProgramFn took 00s.mkdir: '/tmp/mi-globe.com/': File exists

run_program: child exited with status 1

RunProgramFn took 00s.

mi-globe_install_debug.log

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.mkdir: '/tmp/mi-globe.com/firmware': File exists
run_program: child exited with status 1
RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args

mi-globe_install_debug.log

RunProgramFn took 00s.RunProgramFn took 00s.

RunProgramFn took 00s.package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

[illegible]

```
mi-globe_install_debug.log  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package_extract_file took 00s.package_extract_file took 00s.  
package extract file took 00s.package extract file took 00s.
```



```

mi-globe_install_debug.log
package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

package_extract_file took 00s.package_extract_file took 00s.

about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/sh] with 2 args
/tmp/mi-globe.com/mi-globe_install.sh: /tmp/mi-globe.com/mi-globe-env.sh[41]:
mg_log: not found
[mi-globe.com][13-10-2019_20:51:02:]-> /proc/mounts following:
rootfs / rootfs rw,seclabel 0 0
tmpfs /dev tmpfs
rw,seclabel,nosuid,relatime,size=2862376k,nr_inodes=715594,mode=755 0 0
devpts /dev/pts devpts rw,seclabel,relatime,mode=600,ptmxmode=000 0 0
proc /proc proc rw,relatime,gid=3009,hidepid=2 0 0
sysfs /sys sysfs rw,seclabel,relatime 0 0
selinuxfs /sys/fs/selinux selinuxfs rw,relatime 0 0
tmpfs /mnt tmpfs
rw,seclabel,nosuid,nodev,noexec,relatime,size=2862376k,nr_inodes=715594,mode=755,g
id=1000 0 0
none /acct cgroup rw,relatime,cpuacct 0 0
tmpfs /tmp tmpfs rw,seclabel,relatime,size=2862376k,nr_inodes=715594 0 0
pstore /sys/fs/pstore pstore rw,seclabel,relatime 0 0
none /config configfs rw,relatime 0 0
adb /dev/usb-ffs/adb functionfs rw,relatime 0 0
/dev/block/sda20 /cache ext4 rw,seclabel,relatime,data=ordered 0 0
/dev/block/sda21 /data ext4 rw,seclabel,relatime,resgid=1065,data=ordered 0 0
/dev/block/sda21 /sdcard ext4 rw,seclabel,relatime,resgid=1065,data=ordered 0 0
tmpfs /mnt tmpfs
rw,seclabel,nosuid,nodev,noexec,relatime,size=2862376k,nr_inodes=715594,mode=755,g
id=1000 0 0

```

mi-globe_install_debug.log

```
none /acct cgroup rw,relatime,cpuacct 0 0
tmpfs /tmp tmpfs rw,seclabel,relatime,size=2862376k,nr_inodes=715594 0 0
pstore /sys/fs/pstore pstore rw,seclabel,relatime 0 0
none /config configfs rw,relatime 0 0
adb /dev/usb-lun0 functionfs rw,relatime 0 0
/dev/block/sda20 /cache ext4 rw,seclabel,relatime,data=ordered 0 0
/dev/block/sda21 /data ext4 rw,seclabel,relatime,resgid=1065,data=ordered 0 0
/dev/block/sda21 /sdcard ext4 rw,seclabel,relatime,resgid=1065,data=ordered 0 0
[mi-globe.com][13-10-2019_20:51:02:--> DebugLog PID = [690]
[mi-globe.com][13-10-2019_20:51:02:--> Reading Config
[mi-globe.com][13-10-2019_20:51:02:--> Following config has been saved:
/tmp/updater 3 21 /sdcard/mi-globe.com_v11_dipper_9.10.11_cfg-bptggmgngavy.zip
[mi-globe.com][13-10-2019_20:51:02:--> Config= [bptggmgngavy]
[mi-globe.com][13-10-2019_20:51:02:--> Check if mountpoint system is mounted RW
[mi-globe.com][13-10-2019_20:51:02:--> Remove File [/system/etc/testfile]
[mi-globe.com][13-10-2019_20:51:02:--> Mountpoint system is not mounted RW
[mi-globe.com][13-10-2019_20:51:02:--> Trying to mount /system
[mi-globe.com][13-10-2019_20:51:02:--> Check if mountpoint system is mounted RW
[mi-globe.com][13-10-2019_20:51:02:--> Remove File [/system/etc/testfile]
[mi-globe.com][13-10-2019_20:51:02:--> Mountpoint system is not mounted RW
[mi-globe.com][13-10-2019_20:51:02:--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:--> Mountpoint system is not mounted RW
mount: mounting /dev/block/sde48 on /system failed: Device or resource busy
[mi-globe.com][13-10-2019_20:51:02:--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
```

mi-globe_install_debug.log

```
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: no such tool
[mi-globe.com][13-10-2019_20:51:02:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]-> Check if mountpoint system is mounted RW
[mi-globe.com][13-10-2019_20:51:02:]-> Remove File [/system/etc/testfile]
[mi-globe.com][13-10-2019_20:51:02:]-> Mountpoint system is not mounted RW
[mi-globe.com][13-10-2019_20:51:02:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
```

mi-globe_install_debug.log

```
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/dev/block/sde48'->'/system': Device or resource busy
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
```

mi-globe_install_debug.log

```
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
```

mi-globe_install_debug.log

```
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/dev/block/bootdevice/by-name/system'-->'/system': Device or resource busy
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/system' not in /proc/mounts
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:02:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/system' not in /proc/mounts
[mi-globe.com][13-10-2019_20:51:02:]--> Check if mountpoint data is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:02:]--> Remove File [/data/testfile]
```

mi-globe_install_debug.log

```
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:03:]-> Mountpoint data is mounted RW
[mi-globe.com][13-10-2019_20:51:03:]-> FreeSpace System= [505 MB] Data= [100399
MB]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:03:]-> Device= [dipper]
[mi-globe.com][13-10-2019_20:51:03:]-> Version= [-not found-]

[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
[mi-globe.com][13-10-2019_20:51:03:]->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]->
```

```
[mi-globe.com][13-10-2019_20:51:03:]->
```

```
[mi-globe.com][13-10-2019_20:51:03:]->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019_20:51:03:]-->
```

```
[mi-globe.com][13-10-2019 20:51:03:]->
```

```
[mi-globe.com][13-10-2019 20:51:03:]->
```

```
[mi-globe.com][13-10-2019 20:51:03:]->
```

```
[mi-globe.com][13-10-2019 20:51:03:]->
```

```
[mi-globe.com][13-10-2019 20:51:03:]->
```

```
[mi-globe.com][13-10-2019 20:51:03:]-->
```

```
[mi-globe.com][13-10-2019 20:51:03:]->
```

```
| --- mi-globe.com ROM Builder Installation ---
```

```
[mi-globe.com][13-10-2019_20:51:03:]-> | --- mi-globe.com ROM Builder
Installation ---
```


mi-globe_install_debug.log

```
|
[mi-globe.com][13-10-2019_20:51:03:]-> |
| Device : dipper
[mi-globe.com][13-10-2019_20:51:03:]-> | Device : dipper
| Version : -not found-
[mi-globe.com][13-10-2019_20:51:03:]-> | Version : -not found-
| /system free space : 505 MB
[mi-globe.com][13-10-2019_20:51:03:]-> | /system free space : 505 MB
| /data free space : 100399 MB
[mi-globe.com][13-10-2019_20:51:03:]-> | /data free space : 100399 MB
| ROM Builder config : bptggmgngavy
[mi-globe.com][13-10-2019_20:51:03:]-> | ROM Builder config : bptggmgngavy
|
[mi-globe.com][13-10-2019_20:51:03:]-> |
| --- ***** ---
[mi-globe.com][13-10-2019_20:51:03:]-> | ---
***** ---
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
|[INFO ] Checking /system
[mi-globe.com][13-10-2019_20:51:06:]-> |[INFO ] Checking /system
[mi-globe.com][13-10-2019_20:51:06:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]-> Mountpoint system is not mounted RW
|[INFO ] /system is not mounted!
[mi-globe.com][13-10-2019_20:51:06:]-> |[INFO ] /system is not mounted!
|[INFO ] Trying to mount /system RW
[mi-globe.com][13-10-2019_20:51:06:]-> |[INFO ] Trying to mount /system RW
[mi-globe.com][13-10-2019_20:51:06:]-> Trying to mount /system
[mi-globe.com][13-10-2019_20:51:06:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
```

mi-globe_install_debug.log

```
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/dev/block/sde48'-->' /system': Device or resource busy
[mi-globe.com][13-10-2019_20:51:06:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]--> Mountpoint system is not mounted RW
mount: mounting /dev/block/sde48 on /system failed: Device or resource busy
[mi-globe.com][13-10-2019_20:51:06:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
```

mi-globe_install_debug.log

```
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: no such tool
[mi-globe.com][13-10-2019_20:51:06:--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:--> Check if mountpoint system is mounted RW
[mi-globe.com][13-10-2019_20:51:06:--> Remove File [/system/etc/testfile]
[mi-globe.com][13-10-2019_20:51:06:--> Mountpoint system is not mounted RW
[mi-globe.com][13-10-2019_20:51:06:--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
```

mi-globe_install_debug.log

```
[mi-globe.com][13-10-2019_20:51:06:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/dev/block/sde48'->'/system': Device or resource busy
[mi-globe.com][13-10-2019_20:51:06:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
```

mi-globe_install_debug.log

```
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]-> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]-> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
```

mi-globe_install_debug.log

```
mount: '/dev/block/bootdevice/by-name/system'-->'/system': Device or resource busy
[mi-globe.com][13-10-2019_20:51:06:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/system' not in /proc/mounts
[mi-globe.com][13-10-2019_20:51:06:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]--> Mountpoint system is not mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
mount: '/system' not in /proc/mounts
[mi-globe.com][13-10-2019_20:51:06:]--> Check if mountpoint system is mounted RW
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
touch: '/system/etc/testfile': Too many symbolic links encountered
[mi-globe.com][13-10-2019_20:51:06:]--> Remove File [/system/etc/testfile]
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
```

```

mi-globe_install_debug.log
"/sbin/toybox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: /system/etc/testfile: Too many symbolic links encountered
rm: can't stat '/system/etc/testfile': Too many levels of symbolic links
WARNING: linker: Warning: couldn't read "/system/etc/ld.config.txt" for
"/sbin/toolbox" (using default configuration instead): error reading file
"/system/etc/ld.config.txt": Too many symbolic links encountered
rm: no such tool
[mi-globe.com][13-10-2019_20:51:06:]-> Mountpoint system is not mounted RW
|[ ERROR] /system cannot be mounted!
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR] /system cannot be mounted!
|[ ERROR]
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR]
|[ ERROR] Xiaomi.eu ROM is now installed without changes!
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR] Xiaomi.eu ROM is now installed
without changes!
|[ ERROR] Installation will be aborted!
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR] Installation will be aborted!
|[ ERROR]
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR]
|[ ERROR] Possible Solutions:
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR] Possible Solutions:
|[ ERROR] -Reboot TWRP recovery and try again!
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR] -Reboot TWRP recovery and try
again!
|[ ERROR] -Update TWRP recovery and try again!
[mi-globe.com][13-10-2019_20:51:06:]-> |[ ERROR] -Update TWRP recovery and try
again!
run_program: child exited with status 1
RunProgramFn took 05s.RunProgramFn took 05s.

```

```

script succeeded: result was [256]device name:
/dev/block/bootdevice/by-name/system
Filesystem volume name: /
Last mounted on: <not available>
Filesystem UUID: bbcb9ad2-245d-035f-a549-7d500312efe1
Filesystem magic number: 0xEF53
Filesystem revision #: 1 (dynamic)
Filesystem flags: unsigned_directory_hash
Filesystem features: has_journal ext_attr resize_inode filetype recover
extents sparse_super large_file gdt_csum
Default mount options: (none)
Filesystem state: clean
Errors behavior: Remount read-only
Filesystem os type: Linux
Inode count: 196608
Block count: 786432
Reserved block count: 0

```

mi-globe_install_debug.log

Free blocks:	133355
Free inodes:	190333
First block:	0
Block size:	4096
Reserved GDT blocks:	191
Blocks per group:	32768
Inodes per group:	8192
Inode blocks per group:	512
Last mount time:	Sun Oct 13 20:51:06 2019
Last write time:	Sun Oct 13 20:51:06 2019
Mount count:	3
Maximum mount count:	65535
Last checked:	Wed Dec 31 19:00:00 1969
Check interval:	0 (<none>)
Lifetime writes:	8 kB
Reserved blocks uid:	0 (user root)
Reserved blocks gid:	0 (group root)
First inode:	11
Inode size:	256
Required extra isize:	28
Desired extra isize:	28
Journal inode:	8
Default directory hash:	tea
Journal backup:	inode blocks

Failed to unlink '/cache/otad/otad.log'