```
mi-globe install.log
Starting TWRP 3.3.1-1-b0a0dbba on Thu Apr 22 07:51:42 1971
 (pid 531)
BOARD HAS NO REAL SDCARD := true
RECOVERY_SDCARD_ON_DATA := true
I:Lun file '/sys/class/android_usb/android0/f_mass_storage/lun0/file' does not
exist, USB storage mode disabled
TW INCLUDE_CRYPTO := true
I:TW BRIGHTNESS PATH := /sys/class/backlight/panel0-backlight/brightness
I:Found brightness file at '/sys/class/backlight/panel0-backlight/brightness'
I:TWFunc::Set Brightness: Setting brightness control to 420
I:LANG: en
Starting the UI...
setting DRM_FORMAT_BGRA8888 and GGL_PIXEL_FORMAT_BGRA_8888
setting DRM_FORMAT_ARGB8888 and GGL_PIXEL_FORMAT_RGBA_8888
setting DRM FORMAT ARGB8888 and GGL PIXEL FORMAT RGBA 8888
Using drm graphics.
I:TWFunc::Set Brightness: Setting brightness control to 420
I:Loading package: splash (/twres/splash.xml)
I:Load XML directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/splash.xml' directly
I:Checking resolution...
I:Scaling theme width 1.000000x and height 1.129167x, offsets x: 0 y: 80 w: 0 h:
-80
I:Loading resources...
I:Loading variables...
I:Loading mouse cursor...
I:Loading pages...
I:Loading page splash
I:Switching packages (splash)
=> Linking mtab
=> Processing /etc/recovery.fstab
I:Reading /etc/recovery.fstab
I:Processing '/boot'
I:Processing '/cache'
I:Processing '/recovery'
I:Processing '/system'
I:Processing '/vendor'
I:Processing '/system_image'
I:Processing '/vendor_image'
I:Processing '/data'
I:FBE contents 'ice', filenames 'aes-256-cts'
I:Processing '/firmware'
I:Created '/firmware' folder.
I:Processing '/cust'
I:Created '/cust' folder.
I:Processing '/misc'
I:Processing '/modem'
I:Processing '/bluetooth'
```

```
mi-globe install.log
I:Processing '/dsp'
I:Processing '/efs1'
I:Processing '/efs2'
I:Processing '/efsc'
I:Processing '/efsg'
I:Processing '/persist'
I:Created '/persist' folder.
I:Attempt to load settings from /persist settings file...
I:InfoManager loading from '/persist/.twrps'.
  bionic open tzdata: couldn't find any tzdata when looking for
CST6CDT,M3.2.0,M11.1.0!
  bionic open tzdata: couldn't find any tzdata when looking for posixrules!
I:TWFunc::Set Brightness: Setting brightness control to 188
I:TWFunc::Fixup_Time: Pre-fix date and time: 1971-04-22--02-51-42
I:TWFunc::Fixup Time: Setting time offset from file /sys/class/rtc/rtc0/since epoch
I:TWFunc::Fixup Time: will attempt to use the ats files now.
I:TWFunc::Fixup_Time: Setting time offset from file /persist/time/ats_2, offset
1529949091460
I:TWFunc::Fixup_Time: Date and time corrected: 2019-10-14--20-43-13
I:Processing '/usb_otg'
I:Created '/usb_otg' folder.
I:Done processing fstab files
I:Setting up '/data' as data/media emulated storage.
I:mount -o bind '/data/media' '/sdcard' process ended with RC=0
I:mount -o bind '/data/media/0' '/sdcard' process ended with RC=0
I:Setting up '/data' as data/media emulated storage.
I:mount -o bind '/data/media/0' '/sdcard' process ended with RC=0
I:Backup folder set to '/data/media/0/TWRP/BACKUPS/862e64c3'
I:Settings storage is '/data/media/0'
I:Decrypt adopted storage starting
I:PageManager::LoadFileToBuffer loading filename: '/data/system/storage.xml'
directly
I:successfully loaded storage.xml
Updating partition details...
I:Data backup size is 15072MB, free: 97607MB.
I:Unable to mount '/usb otg'
I:Actual block device: '', current file system: 'vfat'
...done
I:Unmounting main partitions...
Partition Logs:
/boot | /dev/block/sde45 | Size: 64MB
   Flags: Can_Be_Backed_Up IsPresent Can_Flash_Img
   Primary Block Device: /dev/block/sde45
   Display Name: Boot
   Storage_Name: boot
   Backup_Path: /boot
```

Backup Name: boot Backup\_Display\_Name: Boot Storage Path: /boot Current\_File\_System: emmc Fstab\_File\_System: emmc Backup Method: dd /cache | /dev/block/sda20 | Size: 247MB Used: 2MB Free: 245MB Backup Size: 2MB Flags: Can Be Mounted Can Be Wiped Can Be Backed Up Wipe During Factory Reset Wipe Available in GUI IsPresent Primary\_Block\_Device: /dev/block/sda20 Display Name: Cache Storage Name: Cache Backup\_Path: /cache Backup Name: cache Backup Display Name: Cache Storage Path: /cache Current File System: ext4 Fstab\_File\_System: ext4 Backup\_Method: files /recovery | /dev/block/sda19 | Size: 64MB Flags: Can\_Be\_Backed\_Up IsPresent Can\_Flash Img Primary Block Device: /dev/block/sda19 Display Name: Recovery Storage\_Name: recovery Backup Path: /recovery Backup Name: recovery Backup\_Display\_Name: Recovery Storage Path: /recovery Current\_File\_System: emmc Fstab File System: emmc Backup Method: dd /system | /dev/block/sde48 | Size: 2975MB Used: 2454MB Free: 520MB Backup Size: 2454MB Flags: Can Be Mounted Can\_Be\_Wiped Can\_Be\_Backed\_Up Wipe\_Available\_in\_GUI IsPresent Mount\_Read\_Only Primary\_Block\_Device: /dev/block/sde48 Display\_Name: System Storage\_Name: System Backup Path: /system Backup Name: system Backup\_Display\_Name: System Storage Path: /system Current\_File\_System: ext4

Fstab\_File\_System: ext4
Backup\_Method: files

```
/vendor | /dev/block/sde47 | Size: 991MB Used: 763MB Free: 228MB Backup Size: 763MB
   Flags: Can_Be_Mounted Can_Be_Wiped Can_Be_Backed_Up IsPresent Mount_Read_Only
   Primary Block Device: /dev/block/sde47
   Display_Name: Vendor
   Storage Name: Vendor
   Backup Path: /vendor
   Backup Name: vendor
   Backup Display Name: Vendor
   Storage Path: /vendor
   Current_File_System: ext4
   Fstab_File_System: ext4
   Backup Method: files
/system image | /dev/block/sde48 | Size: 3072MB
   Flags: Can Be Backed Up IsPresent Can Flash Img
   Primary Block Device: /dev/block/sde48
   Display Name: System Image
   Storage Name: system image
   Backup_Path: /system_image
   Backup Name: system image
   Backup Display Name: System Image
   Storage_Path: /system_image
   Current File System: emmc
   Fstab File System: emmc
   Backup_Method: dd
/vendor_image | /dev/block/sde47 | Size: 1024MB
   Flags: Can_Be_Backed_Up IsPresent Can_Flash_Img
   Primary Block Device: /dev/block/sde47
   Display_Name: Vendor Image
   Storage Name: vendor image
   Backup Path: /vendor image
   Backup_Name: vendor_image
   Backup_Display_Name: Vendor Image
   Storage Path: /vendor image
   Current File System: emmc
   Fstab_File_System: emmc
   Backup Method: dd
/data | /dev/block/sda21 | Size: 233970MB Used: 15072MB Free: 97607MB Backup Size:
15072MB
   Flags: Can Be Mounted Can Be Wiped Can Be Backed Up Wipe During Factory Reset
Wipe_Available_in_GUI IsPresent Can_Be_Encrypted Has_Data_Media Can_Encrypt_Backup
Use Userdata Encryption Is Storage Is Settings Storage
   Symlink_Path: /data/media/0
   Symlink_Mount_Point: /sdcard
   Primary Block Device: /dev/block/sda21
```

# mi-globe install.log Crypto Key Location: footer Length: -16384 Display Name: Data Storage\_Name: Internal Storage Backup\_Path: /data Backup Name: data Backup\_Display\_Name: Data Storage Path: /data/media/0 Current File System: ext4 Fstab\_File\_System: ext4 Backup\_Method: files MTP\_Storage\_ID: 65537 /firmware | /dev/block/sde46 | Size: 191MB Used: 161MB Free: 30MB Backup Size: 161MB Flags: Can Be Mounted Can Be Wiped IsPresent Mount To Decrypt Primary\_Block\_Device: /dev/block/sde46 Display Name: Firmware Storage Name: Firmware Backup\_Path: /firmware Backup Name: firmware Backup Display Name: Firmware Storage\_Path: /firmware Current File System: vfat Fstab File System: vfat Backup\_Method: files /cust | /dev/block/sda18 | Size: 802MB Used: 1MB Free: 801MB Backup Size: 1MB Flags: Can\_Be\_Mounted Can\_Be\_Wiped IsPresent Primary Block Device: /dev/block/sda18 Display\_Name: Cust Storage Name: Cust Backup Path: /cust Backup Name: cust Backup\_Display\_Name: Cust Storage Path: /cust Current File System: ext4 Fstab\_File\_System: ext4 Backup\_Method: files /misc | /dev/block/sda9 | Size: 4MB Flags: IsPresent Primary\_Block\_Device: /dev/block/sda9 Display Name: misc Storage Name: misc Backup\_Path: /misc Backup\_Name: misc

Backup\_Display\_Name: misc

Storage\_Path: /misc

Current\_File\_System: emmc
Fstab\_File\_System: emmc

Backup\_Method: dd

/modem | /dev/block/sde46 | Size: 192MB

Flags: Can\_Be\_Backed\_Up Has\_SubPartition IsPresent

Primary\_Block\_Device: /dev/block/sde46

Display\_Name: Modem Storage\_Name: Modem Backup\_Path: /modem Backup\_Name: modem

Backup\_Display\_Name: Modem

Storage\_Path: /modem

Current\_File\_System: emmc
Fstab\_File\_System: emmc

Backup Method: dd

/bluetooth | /dev/block/sde24 | Size: 1MB

Flags: Can\_Be\_Backed\_Up Is\_SubPartition IsPresent

SubPartition Of: /modem

Primary\_Block\_Device: /dev/block/sde24

Display\_Name: bluetooth Storage\_Name: bluetooth Backup\_Path: /bluetooth Backup Name: bluetooth

Backup Display Name: bluetooth

Storage\_Path: /bluetooth
Current\_File\_System: emmc
Fstab\_File\_System: emmc

Backup\_Method: dd

/dsp | /dev/block/sde44 | Size: 32MB

Flags: Can\_Be\_Backed\_Up Is\_SubPartition IsPresent

SubPartition\_Of: /modem

Primary Block Device: /dev/block/sde44

Display\_Name: dsp Storage\_Name: dsp Backup\_Path: /dsp Backup\_Name: dsp

Backup\_Display\_Name: dsp

Storage\_Path: /dsp

Current\_File\_System: emmc
Fstab\_File\_System: emmc

Backup Method: dd

/efs1 | /dev/block/sdf6 | Size: 8MB

Flags: Can\_Be\_Backed\_Up Has\_SubPartition IsPresent

mi-globe install.log Primary Block Device: /dev/block/sdf6 Display\_Name: EFS Storage Name: EFS Backup\_Path: /efs1 Backup\_Name: efs1 Backup\_Display\_Name: EFS Storage Path: /efs1 Current File System: emmc Fstab File System: emmc Backup\_Method: dd /efs2 | /dev/block/sdf7 | Size: 8MB Flags: Can\_Be\_Backed\_Up Is\_SubPartition IsPresent SubPartition\_Of: /efs1 Primary Block Device: /dev/block/sdf7 Display Name: efs2 Storage Name: efs2 Backup Path: /efs2 Backup Name: efs2 Backup\_Display\_Name: efs2 Storage Path: /efs2 Current File System: emmc Fstab\_File\_System: emmc Backup Method: dd /efsc | /dev/block/sdf1 | Size: OMB Flags: Can Be Backed Up Is SubPartition IsPresent SubPartition\_Of: /efs1 Primary\_Block\_Device: /dev/block/sdf1 Display Name: efsc Storage\_Name: efsc Backup Path: /efsc Backup Name: efsc Backup\_Display\_Name: efsc Storage\_Path: /efsc Current File System: emmc Fstab\_File\_System: emmc Backup\_Method: dd /efsg | /dev/block/sde36 | Size: 8MB Flags: Can\_Be\_Backed\_Up Is\_SubPartition IsPresent SubPartition Of: /efs1 Primary\_Block\_Device: /dev/block/sde36 Display\_Name: efsg Storage Name: efsg Backup\_Path: /efsg Backup\_Name: efsg

Backup\_Display\_Name: efsg

Storage Path: /efsg Current File System: emmc Fstab File System: emmc Backup\_Method: dd /persist | /dev/block/sda14 | Size: 27MB Used: 2MB Free: 25MB Backup Size: 2MB Flags: Can Be Mounted Can Be Wiped IsPresent Primary Block Device: /dev/block/sda14 Display Name: Persist Storage Name: Persist Backup\_Path: /persist Backup Name: persist Backup Display Name: Persist Storage\_Path: /persist Current File System: ext4 Fstab File System: ext4 Backup\_Method: files /usb otg | | Size: 0MB Used: 0MB Free: 0MB Backup Size: 0MB Flags: Can Be Mounted Can Be Wiped Wipe Available in GUI Removable Is Storage Primary Block Device: /dev/block/sdg1 Alternate Block Device: /dev/block/sdg Display\_Name: USB-OTG Storage Name: USB-OTG Backup Path: /usb otg Backup\_Name: usb\_otg Backup Display Name: USB-OTG Storage Path: /usb otg Current\_File\_System: vfat Fstab File System: vfat Backup\_Method: files MTP\_Storage\_ID: 65538 I:Loading package: TWRP (/data/media/0/TWRP/theme/ui.zip) I:Loading zip theme I:Loading package: TWRP (/twres/ui.xml) I:Load XML directly I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/zh\_TW.xml' directly I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/zh\_CN.xml' directly I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/uk.xml' I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/tr.xml' directly I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/sv.xml' directly I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/sl.xml'

```
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/sk.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/ru.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/pt PT.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/pt_BR.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/pl.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/nl.xml'
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/ja.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/it.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/hu.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/fr.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/es.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/en.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/el.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/de.xml'
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/cz.xml'
directly
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/en.xml'
directly
parsing languageFile
parsing languageFile done
I:PageManager::LoadFileToBuffer loading filename: '/twres/ui.xml' directly
I:Checking resolution...
I:Scaling theme width 1.000000x and height 1.129167x, offsets x: 0 y: 80 w: 0 h:
-80
I:Loading resources...
I:Failed to load image from indeterminate013, error -1
I:Loading variables...
I:Loading mouse cursor...
I:Loading pages...
I:Including file: /twres/portrait.xml...
I:PageManager::LoadFileToBuffer loading filename: '/twres/portrait.xml' directly
I:Loading resources...
I:Loading variables...
```

# mi-globe install.log I:Loading mouse cursor... I:Loading pages... I:Loading page main I:Loading page main2 I:Loading page install I:Loading page flash confirm I:Loading page flash zip I:Loading page flash done I:Loading page flash sleep and reboot I:Loading page flashimage confirm I:Loading page clear\_vars I:Loading page reboot\_system\_routine I:Loading page confirm\_action I:Loading page action\_page I:Loading page singleaction page I:Loading page action complete I:Loading page filecheck I:Loading page rebootcheck I:Loading page appcheck I:Loading page wipe I:Loading page advancedwipe I:Loading page formatdata I:Loading page formatdata\_confirm I:Loading page checkpartitionlist I:Loading page partitionoptions I:Loading page refreshfilesystem I:Loading page selectfilesystem I:Loading page backup I:Loading page backup\_options I:Loading page backupname1 I:Loading page backupname2 I:Loading page backupencryption I:Loading page backupencryption2 I:Loading page checkbackuppassword I:Loading page backup\_run I:Loading page restore I:Unable to open '/data/media/0/TWRP/BACKUPS/862e64c3' I:Loading page restore\_read I:Loading page restore\_decrypt I:Loading page try\_restore\_decrypt I:Loading page restore\_select I:Loading page renamebackup I:Loading page restore run

I:Loading page mount
I:Loading page usb\_mount
I:Loading page usb\_umount

I:Loading page reboot

I:Loading page system\_readonly\_check

```
I:Loading page rebootapp
I:Loading page system_readonly
I:Loading page settings
I:Loading page settings_timezone
I:Loading page settings_screen
I:Loading page settings_vibration
I:Loading page settings language
I:Loading page copylog
I:Loading page advanced
I:Loading page partsdcardsel
I:Loading page partsdcardcheck
I:Loading page partsdcard
I:Loading page htcdumlock
I:Loading page repackselect
I:Loading page repackconfirm
I:Loading page lock
I:Loading page filemanagerlist
I:Loading page filemanageroptions
I:Loading page choosedestinationfolder
I:Loading page filemanagerrenamefile
I:Loading page filemanagerrenamefolder
I:Loading page filemanagerchmod
I:Loading page filemanagerconfirm
I:Loading page filemanageraction
I:Loading page decrypt
I:Loading page decrypt_pattern
I:Loading page trydecrypt
I:Loading page terminalcommand
I:Loading page sideload
I:Loading page fixcontexts
I:Loading page slideout
I:Loading page select_storage
I:Loading page select language
I:Set page: 'clear vars'
I:Set page: 'main2'
I:Switching packages (TWRP)
Startup Commands:
ro.boottime.adbd=7159754409
ro.boottime.init=6822
ro.boottime.init.selinux=39
ro.boottime.init.cold boot wait=252
ro.boottime.logd=7134165136
ro.boottime.ueventd=6871839641
ro.boottime.recovery=7136948834
ro.boottime.sbingseecomd=7160417378
ro.boottime.keymaster-3-0=7207992539
ro.boottime.gatekeeper-1-0=7208512956
ro.boottime.servicemanager=7208952331
```

```
mi-globe install.log
ro.boottime.set permissive=7136510084
ro.boottime.hwservicemanager=7130044198
ro.config.ringtone=omni_ringtone1.ogg,omni_ringtone1.ogg
ro.config.alarm_alert=omni_alarm1.ogg
ro.config.notification_sound=omni_notification1.ogg
dalvik.vm.isa.arm.variant=cortex-a9
dalvik.vm.isa.arm.features=default
dalvik.vm.isa.arm64.variant=kryo
dalvik.vm.isa.arm64.features=default
dalvik.vm.lockprof.threshold=500
dalvik.vm.stack-trace-dir=/data/anr
dalvik.vm.image-dex2oat-filter=verify-at-runtime
debug.atrace.tags.enableflags=0
ro.art.hiddenapi.warning=1
ro.com.google.clientidbase=android-google
ro.com.android.wifi-watchlist=GoogleGuest
ro.opa.eligible_device=true
ro.url.legal=http://www.google.com/intl/%s/mobile/android/basic/phone-legal.html
ro.boot.dp=0x0
ro.boot.hwc=CN
ro.boot.cert=M1803E1A
ro.boot.cpuid=0x544f5e1f
ro.boot.console=ttyMSM0
ro.boot.dtb idx=-1347440721
ro.boot.hwlevel=MP
ro.boot.ramdump=disable
ro.boot.selinux=permissive
ro.boot.baseband=msm
ro.boot.configfs=true
ro.boot.hardware=qcom
ro.boot.hwversion=3.3.0
ro.boot.keymaster=1
ro.boot.bootdevice=1d84000.ufshc
ro.boot.secureboot=1
ro.boot.veritymode=enforcing
ro.boot.usbcontroller=a600000.dwc3
ro.boot.verifiedbootstate=orange
ro.omni.device=dipper
ro.omni.version=9-20190704-dipper-HOMEMADE
ro.twrp.boot=1
ro.twrp.version=3.3.1-1
ro.vndk.lite=true
ro.vndk.version=28
ro.wifi.channels=
ro.allow.mock.location=1
ro.build.id=PQ3A.190605.003
ro.build.date=Thu Jul 4 18:51:20 UTC 2019
ro.build.date.utc=1562266280
```

```
mi-globe install.log
ro.build.host=27a846b0703a
ro.build.tags=test-keys
ro.build.type=eng
ro.build.user=jenkins
ro.build.flavor=omni_dipper-eng
ro.build.display.id=omni_dipper-eng 9 PQ3A.190605.003 7 test-keys
ro.build.product=dipper
ro.build.selinux=1
ro.build.version.sdk=28
ro.build.version.base os=
ro.build.version.release=9
ro.build.version.codename=REL
ro.build.version.incremental=7
ro.build.version.preview_sdk=0
ro.build.version.release orig=9
ro.build.version.all codenames=REL
ro.build.version.security_patch=2099-12-31
ro.build.version.security_patch_orig=2099-12-31
ro.build.version.min_supported_target_sdk=17
ro.build.description=omni_dipper-eng 9 PQ3A.190605.003 7 test-keys
ro.build.characteristics=default
ro.bionic.ld.warning=1
ro.kernel.android.checkjni=1
ro.secure=0
ro.treble.enabled=false
ro.product.cpu.abi=arm64-v8a
ro.product.cpu.abilist=armeabi-v7a,armeabi
ro.product.cpu.abilist32=armeabi-v7a,armeabi
ro.product.cpu.abilist64=
ro.product.name=dipper
ro.product.brand=Xiaomi
ro.product.model=MI 8
ro.product.device=dipper
ro.product.manufacturer=Xiaomi
ro.baseband=msm
ro.bootmode=unknown
ro.hardware=qcom
ro.revision=0
ro.services.whitelist.packagelist=com.google.android.gms
ro.bootimage.build.date=Thu Jul 4 18:51:20 UTC 2019
ro.bootimage.build.date.utc=1562266280
ro.bootimage.build.fingerprint=Xiaomi/omni dipper/dipper:9/PQ3A.190605.003/7:eng/te
st-keys
ro.bootloader=unknown
ro.debuggable=1
ro.modversion=OmniROM-9-20190704-dipper-HOMEMADE
ro.setupwizard.enterprise_mode=1
ro.property_service.version=2
```

```
mi-globe_install.log
ro.control privapp permissions=enforce
ro.actionable compatible property.enabled=false
fbe.contents=ice
fbe.filenames=aes-256-cts
init.svc.adbd=running
init.svc.logd=running
init.svc.ueventd=running
init.svc.recovery=running
init.svc.sbinqseecomd=running
init.svc.keymaster-3-0=running
init.svc.gatekeeper-1-0=running
init.svc.servicemanager=running
init.svc.set permissive=stopped
init.svc.hwservicemanager=running
twrp.crash counter=0
twrp.action complete=0
crypto.ready=1
sys.usb.ffs.ready=1
ro.build.fingerprint=Xiaomi/omni dipper/dipper:9/PQ3A.190605.003/7:eng/test-keys
hwservicemanager.ready=true
ro.persistent properties.ready=true
ro.boot.serialno=862e64c3
ro.serialno=862e64c3
service.adb.root=1
net.bt.name=Android
net.tethering.noprovisioning=true
sys.usb.state=adb
sys.usb.controller=a600000.dwc3
persist.sys.usb.config=adb
persist.sys.dalvik.vm.lib.2=libart.so
persist.sys.disable_rescue=true
sys.usb.config=adb
vendor.sys.listeners.registered=true
ro.crypto.type=file
ro.crypto.state=encrypted
SELinux contexts loaded from /file contexts
Full SELinux support is present.
tw get context got selinux context: u:object r:media rw data file:s0
I:Got default contexts and file mode for storage files.
I:Copying file /cache/recovery/log to /cache/recovery/last log
I:Attempt to load settings from settings file...
I:InfoManager file '/data/media/0/TWRP/.twrps' not found.
I:Backup folder set to '/data/media/0/TWRP/BACKUPS/862e64c3'
I:Copying file /etc/recovery.fstab to /cache/recovery/recovery.fstab
I:Version number saved to '/cache/recovery/.version'
I:Unable to mount '/usb_otg'
I:Actual block device: '', current file system: 'vfat'
```

```
mi-globe install.log
I:TWFunc::Set Brightness: Setting brightness control to 188
I:PageManager::LoadFileToBuffer loading filename: '/twres/languages/en.xml'
directly
parsing languageFile
parsing languageFile done
I:Translating partition display names
I:Backup folder set to '/data/media/0/TWRP/BACKUPS/862e64c3'
I:Starting MTP
I:Cannot find file /sys/class/android usb/android0/idVendor
I:Cannot find file /sys/class/android_usb/android0/idProduct
I:sending message to add 65537 '/data/media/0' 'Internal Storage'
I:Message sent, add storage ID: 65537 '/data/media/0'
MTP Enabled
I:[MTP] Starting MTP
I:Check Lifetime Writes result: '16'
I:Switching packages (TWRP)
I:Starting Adb Backup FIFO
I:Set page: 'main'
I:Set page: 'clear_vars'
I:Set page: 'main2'
I:[MTP] created new mtpserver object
I:[MTP] mtppipe add storage 65537 '/data/media/0'
E:[MTP] Failed to start usb driver!I:Set page: 'install'
I:Set page: 'flash confirm'
I:Set page: 'flash zip'
I:operation_start: 'Flashing'
Installing zip file '/sdcard/mi-globe.com v11 dipper 9.10.11 cfg-agpgmvgbgnty.zip'
Checking for Digest file...
I:Update binary zip
Verifying package compatibility...
Package doesn't contain compatibility.zip entry
I:Extracting updater binary 'META-INF/com/google/android/update-binary'
I:Zip does not contain SELinux file contexts file in its root.
I:Legacy property environment not used in updater.
Updating package '/sdcard/mi-globe.com_v11_dipper_9.10.11_cfg-agpgmvgbgnty.zip' ...
  bionic open tzdata: couldn't find any tzdata when looking for
CST6CDT,M3.2.0,M11.1.0!
 bionic_open_tzdata: couldn't find any tzdata when looking for posixrules!
Starting updater on Mon Oct 14 20:43:48 2019
======== emmc ========
failed to open '/sys/class/block/mmcblk0/device/name': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/manfid': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/date': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/cid': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/csd': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/oemid': No such file or directory
failed to open '/sys/class/block/mmcblk0/device/erase_size': No such file or
directory
```

```
mi-globe install.log
failed to open '/sys/class/block/mmcblk0/device/preferred erase size': No such file
or directory
failed to open '/sys/class/block/mmcblk0/stat': No such file or directory
======= prop ========
ro.build.fingerprint=Xiaomi/omni dipper/dipper:9/PQ3A.190605.003/7:eng/test-keys
ro.build.version.release=9
ro.build.version.incremental=7
ro.build.product=dipper
ro.product.device=dipper
ro.product.mod_device=unknown
ro.miui.ui.version.name=unknown
SELinux: Loaded file contexts
Target: Xiaomi/dipper/dipper:10/QKQ1.190828.002/9.10.11:user/release-keys
Target:
Xiaomi/dipper/dipper:10/QKQ1.190828.002/9.10.11:user/release-keyspackage_extract_fi
le took 01s.package extract file took 01s.
Patching firmware images...Patching firmware images...
package extract file took 00s.package extract file took 00s.
package_extract_file took 00s.package_extract_file took 00s.
Installing MIUI update...Installing MIUI update...
performing update
package extract file took 00s.package extract file took 00s.
blockimg version is 4
maximum stash entries 0
creating stash /cache/recovery/2bdde8504898ccfcd2c59f20bb8c9c25f73bb524
252375040 bytes free on /cache (0 needed)
/cache/recovery/last command doesn't exist.
erasing 128730 blocks
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
writing 1 blocks of new data
writing 512 blocks of new data
 zeroing 1024 blocks
 zeroing 1024 blocks
```

zeroing 1024 blocks zeroing 1024 blocks zeroing 1024 blocks zeroing 68 blocks writing 512 blocks of new data writing 512 blocks of new data

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
mi-globe install.log
 writing 512 blocks of new data
 writing 208 blocks of new data
 writing 512 blocks of new data
I:TWFunc::Set Brightness: Setting brightness control to 5
 writing 512 blocks of new data
 writing 512 blocks of new data
I:TWFunc::Set Brightness: Setting brightness control to 0
 writing 512 blocks of new data
 writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
mi-globe install.log
writing 512 blocks of new data
I:TWFunc::Set_Brightness: Setting brightness control to 188
writing 512 blocks of new data
I:Set overlay: ''
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

### mi-globe install.log writing 512 blocks of new data zeroing 1024 blocks zeroing 1024 blocks

zeroing 1024 blocks zeroing 1024 blocks zeroing 529 blocks

wrote 657702 blocks; expected 657702

```
stashed 0 blocks
max alloc needed was 4096
bytes written system: 2693947392
bytes_stashed_system: 0
deleting stash 2bdde8504898ccfcd2c59f20bb8c9c25f73bb524
Wrote updated marker to
/cache/recovery/2bdde8504898ccfcd2c59f20bb8c9c25f73bb524.UPDATED
Perform Block Image Update took 99s.
Patching vendor image unconditionally...Patching vendor image unconditionally...
performing update
package_extract_file took 00s.package_extract_file took 00s.
blockimg version is 4
maximum stash entries 0
creating stash /cache/recovery/34a21d3b3dc53f7084ea0b7f275c179b3062f9be
252375040 bytes free on /cache (0 needed)
/cache/recovery/last command doesn't exist.
 erasing 56414 blocks
 writing 512 blocks of new data
 writing 512 blocks of new data
```

### mi-globe install.log writing 512 blocks of new data zeroing 1024 blocks zeroing 751 blocks writing 512 blocks of new data writing 512 blocks of new data

writing 1 blocks of new data

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
writing 172 blocks of new data
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
writing 512 blocks of new data
```

```
mi-globe install.log
 writing 512 blocks of new data
  zeroing 1024 blocks
  zeroing 1024 blocks
  zeroing 6 blocks
wrote 205730 blocks; expected 205730
stashed 0 blocks
max alloc needed was 4096
bytes_written_vendor: 842670080
bytes stashed vendor: 0
deleting stash 34a21d3b3dc53f7084ea0b7f275c179b3062f9be
Wrote updated marker to
/cache/recovery/34a21d3b3dc53f7084ea0b7f275c179b3062f9be.UPDATED
Perform Block Image Update took 30s.
Patching vbmeta dtbo logo binimages...Patching vbmeta dtbo logo binimages...
package extract file took 00s.package extract file took 00s.
package_extract_file took 00s.package_extract_file took 00s.
package_extract_file took 00s.package_extract_file took 00s.
package extract file took 00s.package extract file took 00s.
package_extract_file took 00s.package_extract_file took 00s.
package_extract_file took 00s.package_extract_file took 00s.
package extract file took 00s.package extract file took 00s.
```

```
package_extract_file took 00s.package_extract_file took 00s.
package_extract_file took 00s.package_extract_file took 00s.
package extract file took 02s.package extract file took 02s.
package_extract_file took 00s.package_extract_file took 00s.
package extract file took 00s.package extract file took 00s.
about to run program [/sbin/busybox] with 3 args
run_program: execv failed: No such file or directory
run_program: child exited with status 1
RunProgramFn took 00s.RunProgramFn took 00s.
package_extract_file took 00s.package_extract_file took 00s.
about to run program [/sbin/busybox] with 6 args
run_program: execv failed: No such file or directory
run program: child exited with status 1
RunProgramFn took 00s.RunProgramFn took 00s.
about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.
about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.
about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.mkdir: '/tmp/mi-globe.com/': File exists
run_program: child exited with status 1
RunProgramFn took 00s.
about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.mkdir: '/tmp/mi-globe.com/firmware': File exists
run_program: child exited with status 1
RunProgramFn took 00s.
about to run program [/sbin/mkdir] with 2 args
RunProgramFn took 00s.RunProgramFn took 00s.
```

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

about to run program [/sbin/mkdir] with 2 args RunProgramFn took 00s.RunProgramFn took 00s.

RunProgramFn took 00s.package extract file took 00s.package extract file took 00s.

package extract file took 00s.package extract file took 00s.

# mi-globe install.log package\_extract\_file took 00s.package\_extract\_file took 00s. package\_extract\_file took 01s.package\_extract\_file took 01s. package\_extract\_file took 00s.package\_extract\_file took 00s. package\_extract\_file took 00s.package\_extract\_file took 00s.

# mi-globe install.log package\_extract\_file took 00s.package\_extract\_file took 00s. package\_extract\_file took 00s.package\_extract\_file took 00s.

# mi-globe install.log package\_extract\_file took 00s.package\_extract\_file took 00s. package\_extract\_file took 00s.package\_extract\_file took 00s.

```
mi-globe install.log
about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.
about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.
about to run program [/sbin/chmod] with 3 args
RunProgramFn took 01s.RunProgramFn took 01s.
about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.
about to run program [/sbin/chmod] with 3 args
RunProgramFn took 00s.RunProgramFn took 00s.
about to run program [/sbin/sh] with 2 args
[mi-globe.com][14-10-2019_20:46:01:]--> ownpid= [615]
[mi-globe.com][14-10-2019 20:46:01:]--> DebugLog PID = [685]
[mi-globe.com][14-10-2019_20:46:01:]--> Reading Config
[mi-globe.com][14-10-2019_20:46:01:]--> Following config has been saved:
/tmp/updater 3 21 /sdcard/mi-globe.com_v11_dipper_9.10.11_cfg-agpgmvgbgnty.zip
[mi-globe.com][14-10-2019 20:46:01:]--> Config= [agpgmvgbgnty]
[mi-globe.com][14-10-2019_20:46:01:]--> Check if mountpoint system is mounted RW
[mi-globe.com][14-10-2019 20:46:01:]--> Remove File [/system/etc/testfile]
[mi-globe.com][14-10-2019_20:46:01:]--> Mountpoint system is not mounted RW
[mi-globe.com][14-10-2019_20:46:01:]--> /proc/mounts following:
rootfs / rootfs rw, seclabel 0 0
tmpfs /dev tmpfs
rw,seclabel,nosuid,relatime,size=2862376k,nr_inodes=715594,mode=755 0 0
devpts /dev/pts devpts rw,seclabel,relatime,mode=600,ptmxmode=000 0 0
proc /proc proc rw,relatime,gid=3009,hidepid=2 0 0
sysfs /sys sysfs rw, seclabel, relatime 0 0
selinuxfs /sys/fs/selinux selinuxfs rw,relatime 0 0
tmpfs /mnt tmpfs
rw, seclabel, nosuid, nodev, noexec, relatime, size=2862376k, nr_inodes=715594, mode=755, gi
none /acct cgroup rw,relatime,cpuacct 0 0
tmpfs /tmp tmpfs rw,seclabel,relatime,size=2862376k,nr_inodes=715594 0 0
pstore /sys/fs/pstore pstore rw, seclabel, relatime 0 0
none /config configfs rw, relatime 0 0
adb /dev/usb-ffs/adb functionfs rw,relatime 0 0
/dev/block/sda20 /cache ext4 rw,seclabel,relatime,data=ordered 0 0
/dev/block/sda21 /data ext4 rw,seclabel,relatime,resgid=1065,data=ordered 0 0
/dev/block/sda21 /sdcard ext4 rw,seclabel,relatime,resgid=1065,data=ordered 0 0
[mi-globe.com][14-10-2019 20:46:01:]--> Check if mountpoint /system is mounted RW
[mi-globe.com][14-10-2019 20:46:01:]--> Unknown Mountpoint /system
[mi-globe.com][14-10-2019_20:46:01:]--> Mounting system
[mi-globe.com][14-10-2019 20:46:01:]--> Check if mountpoint /system is mounted RW
```

### mi-globe\_install.log [mi-globe.com][14-10-2019\_20:46:01:]--> Unknown Mountpoint /system mount: mounting /dev/block/sde48 on /system failed: Device or resource busy [mi-globe.com][14-10-2019\_20:46:01:]--> - Device is system-as-root [mi-globe.com][14-10-2019\_20:46:01:]--> Check if mountpoint data is mounted RW [mi-globe.com][14-10-2019\_20:46:01:]--> Remove File [/data/testfile] [mi-globe.com][14-10-2019\_20:46:01:]--> Mountpoint data is mounted RW [mi-globe.com][14-10-2019\_20:46:01:]--> FreeSpace System= [505 MB] Data= [97463 MB] [mi-globe.com][14-10-2019\_20:46:01:]--> Device= [dipper] [mi-globe.com][14-10-2019\_20:46:01:]--> Version= [9.10.11] [mi-globe.com][14-10-2019\_20:46:01:]--> [mi-globe.com][14-10-2019\_20:46:01:]-->

```
mi-globe_install.log
[mi-globe.com][14-10-2019_20:46:01:]-->
--- mi-globe.com ROM Builder Installation ---
[mi-globe.com][14-10-2019_20:46:01:]--> | --- mi-globe.com ROM Builder Installation
[mi-globe.com][14-10-2019_20:46:01:]--> |
```

Page 59

```
mi-globe install.log
Device
                  : dipper
[mi-globe.com][14-10-2019_20:46:01:]--> | Device
                                                    : dipper
                 : 9.10.11
[mi-globe.com][14-10-2019_20:46:01:]--> | Version
                                                     : 9.10.11
/system free space : 505 MB
[mi-globe.com][14-10-2019 20:46:01:]--> | /system free space :
        free space: 97463 MB
97463 MB
ROM Builder config : agpgmvgbgnty
[mi-globe.com][14-10-2019 20:46:01:]--> | ROM Builder config : agpgmvgbgnty
[mi-globe.com][14-10-2019_20:46:01:]--> |
___ *************************
|[INFO
       1 Checking /system
[mi-globe.com][14-10-2019_20:46:04:]--> |[INFO
                                          ] Checking /system
[mi-globe.com][14-10-2019 20:46:04:]--> Check if mountpoint system is mounted RW
[mi-globe.com][14-10-2019_20:46:04:]--> Remove File [/system/etc/testfile]
[mi-globe.com][14-10-2019_20:46:04:]--> Mountpoint system is mounted RW
       ] /system is mounted!
Remove disabled MIUI Apps!
[mi-globe.com][14-10-2019 20:46:04:]--> |[INFO
                                          1 Remove disabled MIUI Apps!
I:TWFunc::Set Brightness: Setting brightness control to 5
       ] -> Removing Bugreport.apk
[mi-globe.com][14-10-2019 20:46:05:]--> Remove File [-r /system/app/BugReport]
rm: can't remove '/system/app/BugReport': No such file or directory
rm: no such tool
rm: /system/app/BugReport: No such file or directory
[mi-globe.com][14-10-2019 20:46:05:]--> Remove File [-r /system/priv-app/BugReport]
rm: can't remove '/system/priv-app/BugReport': No such file or directory
rm: no such tool
rm: /system/priv-app/BugReport: No such file or directory
       1 -> Removing Browser.apk
[mi-globe.com][14-10-2019_20:46:06:]--> |[INFO ] -> Removing Browser.apk
[mi-globe.com][14-10-2019_20:46:06:]--> Remove File [-r /system/priv-app/Browser]
[mi-globe.com][14-10-2019_20:46:06:]--> Remove File [-r /system/app/Browser]
rm: can't remove '/system/app/Browser': No such file or directory
rm: no such tool
rm: /system/app/Browser: No such file or directory
[mi-globe.com][14-10-2019 20:46:06:]--> Remove File [-r
/data/miui/app/noncustomized/Browser]
rm: can't remove '/data/miui/app/noncustomized/Browser': No such file or directory
rm: no such tool
```

rm: /data/miui/app/noncustomized/Browser: No such file or directory

I:TWFunc::Set\_Brightness: Setting brightness control to 0

```
mi-globe install.log
| [INFO
         | -> Removing MiuiDaemon.apk
[mi-globe.com][14-10-2019_20:46:07:]--> |[INFO ] -> Removing MiuiDaemon.apk
[mi-globe.com][14-10-2019_20:46:07:]--> Remove File [-r /system/app/MiuiDaemon]
[mi-globe.com][14-10-2019_20:46:07:]--> FreeSpace System= [575 MB] Data= [97463 MB]
[mi-globe.com][14-10-2019_20:46:07:]--> SystemSize to Copy= [49 MB]
         ] Unpacking mi-globe.com files!
[mi-globe.com][14-10-2019 20:46:07:]--> |[INFO
                                                 ] Unpacking mi-globe.com files!
[mi-globe.com][14-10-2019 20:46:07:]--> Copy recursive
[/tmp/mi-globe.com/firmware/system/.] to [/system/]
[mi-globe.com][14-10-2019_20:46:07:]--> Copy [/tmp/mi-globe.com/busybox] to
[/system/xbin/busybox]
[mi-globe.com][14-10-2019_20:46:07:]--> CHMOD File=
[/system/priv-app/Settings/Settings.apk] MOD= [644]
chmod: /system/priv-app/Settings/Settings.apk: No such file or directory
chmod: no such tool
chmod: /system/priv-app/Settings/Settings.apk: No such file or directory
[mi-globe.com][14-10-2019_20:46:07:]--> CHOWN File=
[/system/priv-app/Settings/Settings.apk] Owner= [0.0]
chown: /system/priv-app/Settings/Settings.apk: No such file or directory
chown: no such tool
chown: /system/priv-app/Settings/Settings.apk: No such file or directory
[mi-globe.com][14-10-2019 20:46:07:]--> CHMOD File=
[/system/product/priv-app/Settings/Settings.apk] MOD= [644]
[mi-globe.com][14-10-2019 20:46:07:]--> CHOWN File=
[/system/product/priv-app/Settings/Settings.apk] Owner= [0.0]
[mi-globe.com][14-10-2019_20:46:07:]--> CHMOD File= [/system/xbin/busybox] MOD=
[755]
[mi-globe.com][14-10-2019_20:46:07:]--> CHOWN File= [/system/xbin/busybox] Owner=
[mi-globe.com][14-10-2019 20:46:07:]--> CHMOD File=
[/system/media/bootanimation.zip] MOD= [644]
[mi-globe.com][14-10-2019 20:46:07:]--> CHOWN File=
[/system/media/bootanimation.zip] Owner= [0.0]
[mi-globe.com][14-10-2019_20:46:07:]--> CHMOD File= [/system/build.prop] MOD= [644]
[mi-globe.com][14-10-2019_20:46:07:]--> CHOWN File= [/system/build.prop] Owner=
[mi-globe.com][14-10-2019_20:46:07:]--> CHMOD File= [/system/etc/mkshrc] MOD= [644]
[mi-globe.com][14-10-2019_20:46:07:]--> CHOWN File= [/system/etc/mkshrc] Owner=
[0.0]
|[INFO
         | Apply GPS Configuration!
[mi-globe.com][14-10-2019_20:46:07:]--> |[INFO
                                                 ] Apply GPS Configuration!
|[INFO
         ] -> ASIA
[mi-globe.com][14-10-2019_20:46:07:]--> |[INFO
[mi-globe.com][14-10-2019_20:46:07:]--> Trying to mount /vendor
[mi-globe.com][14-10-2019 20:46:07:]--> Check if mountpoint vendor is mounted RW
```

[mi-globe.com][14-10-2019\_20:46:07:]--> Check if mountpoint vendor is mounted RW

[mi-globe.com][14-10-2019\_20:46:07:]--> Remove File [/vendor/testfile]
[mi-globe.com][14-10-2019\_20:46:07:]--> Mountpoint vendor is not mounted RW

```
mi-globe_install.log
[mi-globe.com][14-10-2019_20:46:07:]--> Remove File [/vendor/testfile]
[mi-globe.com][14-10-2019_20:46:07:]--> Mountpoint vendor is mounted RW
[mi-globe.com][14-10-2019_20:46:09:]--> GPS Editing File
/system/etc/./gps_debug.conf
[mi-globe.com][14-10-2019_20:46:12:]--> GPS Editing File /vendor/etc/./gps.conf
|[INFO
         ] SUCCESS!
[mi-globe.com][14-10-2019_20:46:12:]--> |[INFO
                                                 ] SUCCESS!
[mi-globe.com][14-10-2019_20:46:16:]--> Copy
[/tmp/mi-globe.com/firmware/mixplorer/mixplorer.apk] to
[/sdcard/mi-globe.com_apps/]
[mi-globe.com][14-10-2019_20:46:16:]--> FreeSpace System= [574 MB] Data= [97461 MB]
[mi-globe.com][14-10-2019_20:46:16:]--> FileSize
[/tmp/mi-globe.com/firmware/mixplorer/mixplorer.apk] = 3 MB
|[INFO
         ] Install MiXplorer!
[mi-globe.com][14-10-2019_20:46:16:]--> |[INFO
                                                 ] Install MiXplorer!
[mi-globe.com][14-10-2019_20:46:16:]--> Copy
[/tmp/mi-globe.com/firmware/mixplorer/mixplorer.apk] to
[/system/app/Mixplorer/Mixplorer.apk]
[mi-globe.com][14-10-2019_20:46:16:]--> CHOWN File= [/system/app/Mixplorer] Owner=
[0.0]
[mi-globe.com][14-10-2019_20:46:16:]--> CHOWN File=
[/system/app/Mixplorer/Mixplorer.apk] Owner= [0.0]
[mi-globe.com][14-10-2019_20:46:16:]--> CHMOD File=
[/system/app/Mixplorer/Mixplorer.apk] MOD= [644]
         ] SUCCESS!
|[INFO
[mi-globe.com][14-10-2019_20:46:16:]--> |[INFO
                                                 ] SUCCESS!
mkdir: can't create directory '/sdcard/mi-globe.com_apps': File exists
[mi-globe.com][14-10-2019_20:46:19:]--> Copy
[/tmp/mi-globe.com/firmware/youtube/youtube.apk] to [/sdcard/mi-globe.com_apps/]
[mi-globe.com][14-10-2019_20:46:19:]--> FreeSpace System= [571 MB] Data= [97397 MB]
[mi-globe.com][14-10-2019_20:46:19:]--> FileSize
[/tmp/mi-globe.com/firmware/youtube/youtube.apk] = 64 MB
         ] Install YoutubeVanced!
[mi-globe.com][14-10-2019_20:46:19:]--> |[INFO
                                                 ] Install YoutubeVanced!
[mi-globe.com][14-10-2019_20:46:19:]--> Copy
[/tmp/mi-globe.com/firmware/youtube/youtube.apk] to
[/system/app/YoutubeVanced/YoutubeVanced.apk]
[mi-globe.com][14-10-2019_20:46:19:]--> CHOWN File= [/system/app/YoutubeVanced]
Owner= [0.0]
[mi-globe.com][14-10-2019_20:46:19:]--> CHOWN File=
[/system/app/YoutubeVanced/YoutubeVanced.apk] Owner= [0.0]
[mi-globe.com][14-10-2019_20:46:19:]--> CHMOD File=
[/system/app/YoutubeVanced/YoutubeVanced.apk] MOD= [644]
         ] SUCCESS!
|[INFO
[mi-globe.com][14-10-2019_20:46:19:]--> |[INFO
                                                 ] SUCCESS!
         ] Install Notch Notification Mod!
|[INFO
[mi-globe.com][14-10-2019_20:46:23:]--> |[INFO
                                                 | Install Notch Notification Mod!
[mi-globe.com][14-10-2019_20:46:23:]--> Copy
```

```
mi-globe install.log
[/tmp/mi-globe.com/firmware/cclock/MiuiSystemUI.apk] to
[/system/priv-app/MiuiSystemUI/MiuiSystemUI.apk]
[mi-globe.com][14-10-2019_20:46:23:]--> CHOWN File= [/system/priv-app/MiuiSystemUI]
Owner= [0.0]
[mi-globe.com][14-10-2019_20:46:23:]--> CHOWN File=
[/system/priv-app/MiuiSystemUI/MiuiSystemUI.apk] Owner= [0.0]
[mi-globe.com][14-10-2019_20:46:23:]--> CHMOD File=
[/system/priv-app/MiuiSystemUI/MiuiSystemUI.apk] MOD= [644]
|[INFO
         ] SUCCESS!
[mi-globe.com][14-10-2019_20:46:23:]--> |[INFO
                                                 ] SUCCESS!
         ] Install Ringtone Pack
[mi-globe.com][14-10-2019_20:46:23:]--> |[INFO
                                                  ] Install Ringtone Pack
         | to /sdcard/mi-globe.com_ringtones!
[mi-globe.com][14-10-2019_20:46:23:]--> |[INFO
                                                  ] to
/sdcard/mi-globe.com_ringtones!
[mi-globe.com][14-10-2019_20:46:25:]--> Copy recursive
[/tmp/mi-globe.com/firmware/tones/.] to [/sdcard/mi-globe.com_ringtones/]
         ] SUCCESS!
|[INFO
[mi-globe.com][14-10-2019_20:46:25:]--> |[INFO
                                                 ] SUCCESS!
        | Install Wallpaper Pack
|[INFO
[mi-globe.com][14-10-2019_20:46:26:]--> |[INFO
                                                 ] Install Wallpaper Pack
         | to /sdcard/mi-globe.com_wallpapers!
[mi-globe.com][14-10-2019_20:46:26:]--> |[INFO
                                                  ] to
/sdcard/mi-globe.com wallpapers!
[mi-globe.com][14-10-2019_20:46:28:]--> Copy recursive
[/tmp/mi-globe.com/firmware/wallpack/MIUI/wallpaper/.] to
[/sdcard/mi-globe.com_wallpapers/]
|[INFO
         ] SUCCESS!
[mi-globe.com][14-10-2019_20:46:28:]--> |[INFO
                                                  ] SUCCESS!
[mi-globe.com][14-10-2019_20:46:30:]--> Remove File
[/sdcard/mi-globe_install_debug.log]
[mi-globe.com][14-10-2019_20:46:30:]--> Copy [/tmp/recovery.log] to
[/sdcard/mi-globe_install.log]
```